



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/598,025

08/16/2006

Wiebe De Haan

NL040228

9339

24737 7590 08/17/2009
PHILIPS INTELLECTUAL PROPERTY & STANDARDS
P.O. BOX 3001
BRIARCLIFF MANOR, NY 10510

EXAMINER

CHANG, KENNETH W

ART UNIT

PAPER NUMBER

2438

MAIL DATE

DELIVERY MODE

08/17/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/598,025	Applicant(s) DE HAAN ET AL.	
	Examiner Kenneth Chang	Art Unit 2438	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18, 20, 21 and 23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18, 20, 21, and 23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

The following is a Non-Final Office action in response to communications received on 04/02/2009. Claims 1-3, 5, 6, 8-10, 13-18, 20, 21, and 23 have been amended. Claims 19, 22, and 24-26 have been cancelled. **Claims 1-18, 20, 21, and 23 are pending and have been considered as follows.**

Response to Arguments

1. In light of the Applicant's amendments and remarks filed on 04/02/2009, the Examiner hereby withdraws the objection to the Specification and the Claim objections to Claims 1, 2, 5, 6, 9, 10, 12, and 13. The Examiner also withdraws the 35 U.S.C. § 112, second paragraph rejection of Claims 8 and 9, and the 35 U.S.C. § 101 rejection of Claims 18 and 21.
2. Applicant's arguments regarding the limitation "ID data being different from ID data being pre-determined to identify the type of data in the stream of audiovisual data" filed on 04/02/2009 with respect to Claims 1, 11, 13-18, 20, 21, and 23 have been fully considered but they are not persuasive. Particularly, Applicant argues that Yamaguchi et al. (US-20010042252-A1, hereinafter Yamaguchi) fails to teach providing ID data in an ID segment being different from ID data being pre-determined to identify the type of data and that the identifications disclosed by Yamaguchi are pre-determined for the type of data expressed by the identification. The Examiner respectfully disagrees. Yamaguchi discloses a MPEG2 TS transport stream that is segmented into data components which are provided with different numerical component ID numbers ([0066]). The data components are further divided into packets for transmission over a

Art Unit: 2438

channel. Different components can contain different types of data such as "viewing permission information" (FIG. 2 and [0067]), "reception elements" which are interactive data ([0073]), video data ([0067]), or audio data ([0067]) (e.g. see "The component 217 includes **viewing permission information 218**, which contains subscription information given for each program. The subscription information contains, for instance, information showing that a program is allowed to be viewed periodically, and information showing that a program is charged on an as-used basis as in Pay Per View. Video data and audio data are included in a **video data component** and an **audio data component**, which are not shown in the figure" [0067]; see also "In the MPEG2 transport stream 200, the **components 201 and 204 are interactive data**, and reception elements included in these components 201 and 204 are repeatedly transmitted" [0073]). In paragraphs [0066] and [0067], component ID values for components 217 and 219, video data component, and audio data component are not shown in FIG. 2 or given because any ID values could be assigned to them while the disclosed component ID values 400 and 500 were examples to describe the invention's embodiment in FIG. 2. Since Yamaguchi teaches that such "components" are not a type of data but generic data segments that contain various data types, the component ID values for each different component are "ID data being different from ID data being pre-determined to identify the type of data in the stream of audiovisual data."

3. Applicant's arguments regarding the limitation "partly encrypting the data segments, leaving the ID segment unencrypted", see Remarks page 13 lines 3-9, filed on 04/02/2009, with respect to the rejection(s) of claim(s) 1, 11, 13-18, 20, 21, and 23,

Art Unit: 2438

under 35 U.S.C. § 102(b) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Yamaguchi in view of Raike (US-20020025045-A1) under 35 U.S.C. § 103(a).

4. Applicant's arguments, see Remarks page 13 lines 4-6, filed on 04/02/2009, with respect to the rejection(s) of claim(s) 6, under 35 U.S.C. § 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Yamaguchi in view of Hobrock et al. (US-20040247122-A1) under 35 U.S.C. § 103(a).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 2438

7. **Claims 1-5, 7, 8, 10-18, 20, 21, and 23** are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al. (US-20010042252-A1, hereinafter Yamaguchi) in view of Raike (US-20020025045-A1).

As to Amended Claim 1:

Yamaguchi discloses a method of encrypting a data stream comprising at least one stream of audiovisual data (e.g. see “the present invention aims to provide a digital broadcast receiving device, a digital broadcast system, and a recording medium storing a receiving method and a receiving program, all of which can restrict use of interactive data relating to a fee-based program during a preview time” [0015]), comprising steps of,

- segmenting at least one of said at least one stream (MPEG2 transport stream [0063]) of audiovisual data into data segments (components [0066]) (e.g. see “The sending device 20 is installed in a broadcast station that provides a digital broadcast service, and sends an MPEG2 (Moving Picture Expert Group) TP (transport stream) as a broadcast wave via the broadcast satellite 30... The reception signal is composed of video data, audio data, interactive data” [0063]; see also “When transmitted, the MPEG2 TS 200 is divided into packets on a transmission channel. Each packet contains a different packet ID (PID), which is identification information for the packet” [0065]);
- providing the data segments with ID data (component ID [0066]) in an ID segment (MPEG2 TS 200 packet headers [0065]-[0066]), the ID data being different from ID data being pre-determined (packet id, PID [0065]) to identify the

Art Unit: 2438

type of data (audio, video, or interactive data [0063]) in the stream of audiovisual data (e.g. see “As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure. Each component contains a different component ID that identifies the component” [0066]; see also “The component 217 includes viewing permission information 218, which contains subscription information given for each program... Video data and audio data are included in a video data component and an audio data component, which are not shown in the figure” [0067]; see also “Each reception element has a different reception element ID to identify the reception element, and each presentation element has a different presentation ID to identify the presentation element” [0070]);

But Yamaguchi does not specifically disclose:

- partly encrypting the data segments, leaving the ID segment unencrypted (although Yamaguchi does disclose “Encryption (hereafter, “scrambling”) is performed separately for each TP (hereafter, “AV (audio-video) TP” [Transport Packets]) containing video data and audio data for programs” [0008]).

However, the analogous art Raike, which addresses the same field of endeavor in encryption and transmission of audio and video data streams, does disclose partly encrypting the data segments (encrypting packet payload [0035]), leaving the ID segment (packet header information with ID tag [0029] and [0035]) unencrypted.

- (e.g. see “The present encryption processing may insert specific information into designated field(s) within the stream header, and also replaces the data payload

Art Unit: 2438

of each packet with encrypted data. All of the packets in the stream are encrypted, but only the data payload is encrypted and not the packet header information. This remains unchanged by the encryption processing" [0035]; see also "each packet header is assumed to include at least one item of information that uniquely identifies that packet, called here a "tag"... The tag information, along with the rest of the packet header, must accompany a packet "in the clear", that is, not encrypted" [0029]).

It would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to modify the invention of Yamaguchi with the teachings of Raike to include partly encrypting the data segments, leaving the ID segment unencrypted as claimed because the use of Raike could provide Yamaguchi the ability to partially encrypt an audio and video data stream (Yamaguchi [0008]) while not encrypting the packet header segments containing ID information (Raike [0029]) for the purpose of facilitating the encryption and decryption of the data packets (Raike [0032]-[0035]).

As to Amended Claim 2:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 1, wherein the method further comprises the step of,

- creating data packs (components, Yamaguchi [0066]), each data pack comprising at least one data segment (packets [0065]) and wherein the step of partly encrypting the data segments, the ID segment (packet header information with ID tag, Raike [0029] and [0035]) of said at least one data segment is unencrypted (e.g. see Yamaguchi, "A plurality of packets that has the same PID

Art Unit: 2438

to be transmitted make up the same component" [0065]; see also "As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure" [0066]; see also Raike, "The present encryption processing may insert specific information into designated field(s) within the stream header, and also replaces the data payload of each packet with encrypted data. All of the packets in the stream are encrypted, but only the data payload is encrypted and not the packet header information. This remains unchanged by the encryption processing" [0035]);

- The examiner supplies the same rationale for the combination of references Yamaguchi and Raike as in claim 1 above.

As to Amended Claim 3:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 1, wherein the at least one data stream comprises,

- multiple streams of different types of audiovisual data and data segments of at least one stream of audiovisual data are encrypted (e.g. see Yamaguchi, "For this communication satellite broadcast service, a plurality of transport streams (hereafter called "TS") for digital data are broadcasted in parallel. The number of transport streams broadcasted in parallel is equal to a number of transponders. A plurality of transport packets (hereafter "TP"), which contain data corresponding to a plurality of programs, are time-division multiplexed into each TS. A user selects a given program contained in a TS, and watches the program" [0006]; see also "Encryption (hereafter, "scrambling") is performed separately for each

TP (hereafter, "AV (audio-video) TP") containing video data and audio data for programs" [0008]).

As to Amended Claim 4:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 3, wherein,

- data segments of at least one stream of audiovisual data is provided with ID segments (MPEG2 TS 200 packet headers, Yamaguchi [0065]-[0066]) comprising ID data (component ID [0066]) being different from ID data being pre-determined to identify the type of data in the stream of audiovisual data (e.g. see Yamaguchi, "As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure. Each component contains a different component ID that identifies the component" [0066]; see also "The component 217 includes viewing permission information 218, which contains subscription information given for each program... Video data and audio data are included in a video data component and an audio data component, which are not shown in the figure" [0067]).

As to Amended Claim 5:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 3, wherein,

- the multiple streams of different types of audiovisual data are provided simultaneously and the method further comprising the step of multiplexing the segments comprising data of the multiple streams of audiovisual data to a further

Art Unit: 2438

data stream (e.g. see Yamaguchi, "A plurality of transport packets (hereafter "TP"), which contain data corresponding to a plurality of programs, are time-division multiplexed into each TS. A user selects a given program contained in a TS, and watches the program" [0006]; see also "The combining unit 106 receives the second AV signal from the AV reproducing unit 105, and a second data signal from the data analyzing unit 104. The combining unit 106 then combines the second AV signal and the second data signal to generate a data-AV combined signal, and outputs the generated data-AV combined signal to the monitor connected to the interactive data receiving device 100" [0108]).

As to Claim 7:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 2, wherein,

- the data packs are MPEG-2 data stream packs (e.g. see Yamaguchi, "The sending device 20 is installed in a broadcast station that provides a digital broadcast service, and sends an MPEG2 (Moving Picture Expert Group) TP (transport stream) as a broadcast wave via the broadcast satellite 30" [0063]; see also "When transmitted, the MPEG2 TS 200 is divided into packets on a transmission channel" [0065]).

As to Amended Claim 8:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 2, wherein,

Art Unit: 2438

- the ID data being pre-determined to identify the type of data in the stream of audiovisual data is pre-determined by the DVD standard (e.g. see Yamaguchi, "The sending device 20 is installed in a broadcast station that provides a digital broadcast service, and sends an MPEG2 (Moving Picture Expert Group) TP (transport stream) as a broadcast wave via the broadcast satellite 30" [0063]; see also "When transmitted, the MPEG2 TS 200 is divided into packets on a transmission channel. Each packet contains a different packet ID (PID), which is identification information for the packet" [0065] where the DVD standard inherently uses the MPEG2 format in its specification).

As to Amended Claim 10:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 1, further comprising,

- storing the segmented and partially encrypted data segments on a storage medium (e.g. see Yamaguchi, "In view of the above problems, the present invention aims to provide a digital broadcast receiving device, a digital broadcast system, and a recording medium storing a receiving method and a receiving program, all of which can restrict use of interactive data relating to a fee-based program during a preview time" [0015]; see also "The data storing unit 108 is composed of semiconductor memory, and has areas that store a presentation element, a purchase state, a component ID, a reception element ID, and a presenting element flag, as shown in FIG. 5" [0088]).

Art Unit: 2438

As to Claim 11:

Yamaguchi discloses a circuit (sending device 20 [0061]) for encrypting a data stream comprising at least one stream of audiovisual data, comprising (see Applicant Spec.

Page 11 lines 8-9, "For example, a function being described as being carried out by one element may also be carried out by multiple elements and vice versa [multiple functions carried out by one element]"),

- a segmenting unit (sending device 20's processor) for segmenting the stream of audiovisual data in data segments (e.g. see "The sending device 20 is installed in a broadcast station that provides a digital broadcast service, and sends an MPEG2 (Moving Picture Expert Group) TP (transport stream) as a broadcast wave via the broadcast satellite 30" [0063]; see also "When transmitted, the MPEG2 TS 200 is divided into packets on a transmission channel" [0065] where sending device 20 inherently uses a processor for these functions);
- a unit (sending device 20's processor) for providing the data segment with ID data (component ID [0066]) in an ID segment (MPEG2 TS 200 packet headers [0065]-[0066]), the ID data being different from ID data (packet id, PID [0065]) being pre-determined to identify the type of data in the stream of audiovisual data (e.g. see "As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure. Each component contains a different component ID that identifies the component" [0066]; see also "The component 217 includes viewing permission information 218, which contains subscription information given for each program... Video

Art Unit: 2438

data and audio data are included in a video data component and an audio data component, which are not shown in the figure" [0067]);

But Yamaguchi does not specifically disclose:

- an encryption unit for partly encrypting the data segments, leaving the ID segment unencrypted (although Yamaguchi does disclose "Encryption (hereafter, "scrambling") is performed separately for each TP (hereafter, "AV (audio-video) TP" [Transport Packets]) containing video data and audio data for programs" [0008]).

However, the analogous art Raike, which addresses the same field of endeavor in encryption and transmission of audio and video data streams, does disclose an encryption unit (sender's encryption processor [0005]) for partly encrypting the data segments (encrypting packet payload [0035]), leaving the ID segment (packet header information with ID tag [0029] and [0035]) unencrypted.

- (e.g. see "The present encryption processing may insert specific information into designated field(s) within the stream header, and also replaces the data payload of each packet with encrypted data. All of the packets in the stream are encrypted, but only the data payload is encrypted and not the packet header information. This remains unchanged by the encryption processing" [0035]; see also "each packet header is assumed to include at least one item of information that uniquely identifies that packet, called here a "tag"... The tag information, along with the rest of the packet header, must accompany a packet "in the clear", that is, not encrypted" [0029]).

Art Unit: 2438

It would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to modify the invention of Yamaguchi with the teachings of Raike to include an encryption unit for partly encrypting the data segments, leaving the ID segment unencrypted as claimed because the use of Raike could provide Yamaguchi the ability to partially encrypt an audio and video data stream (Yamaguchi [0008]) while not encrypting the packet header segments containing ID information (Raike [0029]) for the purpose of facilitating the encryption and decryption of the data packets (Raike [0032]-[0035]).

As to Claim 12:

The combination of teaching between Yamaguchi and Raike discloses the circuit according to claim 11, further comprising,

- a packing unit (sending device 20's processor) for creating data packs (components, Yamaguchi [0066]), each data pack comprising at least one data segment (packets [0065]) and wherein the step of partly encrypting the data segments, the ID segment (packet header information with ID tag, Raike [0029] and [0035]) of said at least one data segment is unencrypted (e.g. see Yamaguchi, "A plurality of packets that has the same PID to be transmitted make up the same component" [0065]; see also "As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure" [0066]; see also Raike, "The present encryption processing may insert specific information into designated field(s) within the stream header, and also replaces the data payload of each packet with encrypted data. All of the

Art Unit: 2438

packets in the stream are encrypted, but only the data payload is encrypted and not the packet header information. This remains unchanged by the encryption processing" [0035]);

- The examiner supplies the same rationale for the combination of references Yamaguchi and Raike as in claim 11 above.

As to Amended Claim 13:

Yamaguchi discloses an apparatus (FIG. 1, interactive data receiving devices 100a and 100b) for storing data, comprising,

- a receiver for receiving data (e.g. see "As shown in FIG. 4, the interactive data receiving device 100 includes a receiving unit 101" [0086]);
- the circuit comprising:
- a segmenting unit (sending device 20's processor) for segmenting the stream of audiovisual data in data segments (e.g. see "The sending device 20 is installed in a broadcast station that provides a digital broadcast service, and sends an MPEG2 (Moving Picture Expert Group) TP (transport stream) as a broadcast wave via the broadcast satellite 30" [0063]; see also "When transmitted, the MPEG2 TS 200 is divided into packets on a transmission channel" [0065] where sending device 20 inherently uses a processor for these functions);
- a unit (sending device 20's processor) for providing the data segment with ID data (component ID [0066]) in an ID segment (MPEG2 TS 200 packet headers [0065]-[0066]), the ID data being different from ID data (packet id, PID [0065]) being pre-determined to identify the type of data in the stream of audiovisual data

Art Unit: 2438

(e.g. see "As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure. Each component contains a different component ID that identifies the component" [0066]; see also "The component 217 includes viewing permission information 218, which contains subscription information given for each program... Video data and audio data are included in a video data component and an audio data component, which are not shown in the figure" [0067]);

- a storage device (data storing unit) for storing partially encrypted data segments on a storage medium (e.g. see "The data storing unit 108 is composed of semiconductor memory, and has areas that store a presentation element, a purchase state, a component ID, a reception element ID, and a presenting element flag, as shown in FIG. 5" [0088]);

But Yamaguchi does not specifically disclose:

- an encryption unit for partly encrypting the data segments, leaving the ID segment unencrypted (although Yamaguchi does disclose "Encryption (hereafter, "scrambling") is performed separately for each TP (hereafter, "AV (audio-video) TP" [Transport Packets]) containing video data and audio data for programs" [0008]).

However, the analogous art Raike, which addresses the same field of endeavor in encryption and transmission of audio and video data streams, does disclose an encryption unit (sender's encryption processor [0005]) for partly encrypting the data

Art Unit: 2438

segments (encrypting packet payload [0035]), leaving the ID segment (packet header information with ID tag [0029] and [0035]) unencrypted.

- (e.g. see “The present encryption processing may insert specific information into designated field(s) within the stream header, and also replaces the data payload of each packet with encrypted data. All of the packets in the stream are encrypted, but only the data payload is encrypted and not the packet header information. This remains unchanged by the encryption processing” [0035]; see also “each packet header is assumed to include at least one item of information that uniquely identifies that packet, called here a “tag”... The tag information, along with the rest of the packet header, must accompany a packet “in the clear”, that is, not encrypted” [0029]).

It would have been obvious to one of ordinary skill in the art at the time applicant’s invention was made to modify the invention of Yamaguchi with the teachings of Raike to include an encryption unit for partly encrypting the data segments, leaving the ID segment unencrypted as claimed because the use of Raike could provide Yamaguchi the ability to partially encrypt an audio and video data stream (Yamaguchi [0008]) while not encrypting the packet header segments containing ID information (Raike [0029]) for the purpose of facilitating the encryption and decryption of the data packets (Raike [0032]-[0035]).

As to Claim 14:

Yamaguchi discloses a method of decrypting audiovisual data (e.g. see “the present invention aims to provide a digital broadcast receiving device, a digital broadcast

Art Unit: 2438

system, and a recording medium storing a receiving method and a receiving program, all of which can restrict use of interactive data relating to a fee-based program during a preview time" [0015]), comprising the steps of,

- recognising that the data carried by the ID segment is different from ID data being pre-determined to identify the type of data in the stream of audiovisual data and recognising the actual type of data comprised by the data segments (e.g. see "The data judging unit 117 then compares the ID of the recognized link destination with the ID of the currently-presented presentation element to judge whether a presentation element of the link destination and the currently-presented presentation element belong to the same component" [0126]);
- forming a stream of audiovisual data from the data segments (e.g. see "The combining unit 106 receives the second AV signal from the AV reproducing unit 105, and a second data signal from the data analyzing unit 104. The combining unit 106 then combines the second AV signal and the second data signal to generate a data-AV combined signal, and outputs the generated data-AV combined signal to the monitor connected to the interactive data receiving device 100" [0108]);

But Yamaguchi does not specifically disclose:

- decrypting the partly encrypted data segments (although Yamaguchi discloses "A descrambling key to descramble such scrambled AV TP [audio-video transport packets], and program attribute information for the programs make up program information (hereafter, "ECM") and are contained in another TP (hereafter, "ECM

Art Unit: 2438

TP"). Such ECM TP and AV TP are broadcasted together. This ECM TP is also scrambled. A work key to descramble the scrambled ECM TP, and subscription information make up individual information (hereafter, "EMM") and are stored in an integrated circuit (IC) card, which is inserted into each receiving device" [0008]);

However, the analogous art Raike, which addresses the same field of endeavor in encryption and transmission of audio and video data streams, does disclose decrypting (symmetrically decrypting [0034]) the partly encrypted data segments (encrypted stream packets with unencrypted tag values removed [0034]).

- (e.g. see "The tag values of each stream data packet are extracted (13) and then hashed (14) with the base key to produce the packet key for each packet. The stream packets with tag values removed (stream data) are then symmetrically decrypted (15) using the corresponding packet key. The plaintext stream packets, with or without tag values depending on the transmission protocol being used, are then stored or outputted in a form suitable for use by a streaming media player" [0034]).

It would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to modify the invention of Yamaguchi with the teachings of Raike to include decrypting the partly encrypted data segments as claimed because the use of Raike could provide Yamaguchi the ability to partially encrypt an audio and video data stream (Yamaguchi [0008]) while not encrypting the packet header segments containing

Art Unit: 2438

ID information (Raike [0029]) for the purpose of facilitating the later decryption process of the encrypted stream packets (Raike [0032]-[0035]).

As to Amended Claims 15, 16, and 17:

Yamaguchi discloses a method/circuit/apparatus of retrieving and rendering stored audiovisual data (e.g. see “the present invention aims to provide a digital broadcast receiving device, a digital broadcast system, and a recording medium storing a receiving method and a receiving program, all of which can restrict use of interactive data relating to a fee-based program during a preview time” [0015]), comprising,

- a storage device for/retrieving data stored on a storage medium (e.g. see “The receiving unit 101 receives an MPEG2 TS (hereafter, “TS”), which is transmitted repeatedly from the sending device 20 as a broadcast wave, and extracts a reception signal and viewing permission information from the received TS. This reception signal contains video data, audio data, and interactive data. The receiving unit 101 then outputs the extracted reception signal to the restoring unit 103, and the extracted viewing permission information to the specifying unit 102” [0097]);
- an identification unit for/recognizing that the data carried by the ID segment is different from ID data (data judging unit 117 distinguishes ID data such as a component ID from a packet ID) being pre-determined to identify the type of data in the stream of audiovisual data and recognizing the actual type of data comprised by the data segments (e.g. see “The data judging unit 117 then compares the ID of the recognized link destination with the ID of the currently-

Art Unit: 2438

presented presentation element to judge whether a presentation element of the link destination and the currently-presented presentation element belong to the same component" [0126]);

- a streaming unit for/forming a stream of audiovisual data from the data segments (e.g. see "The combining unit 106 receives the second AV signal from the AV reproducing unit 105, and a second data signal from the data analyzing unit 104. The combining unit 106 then combines the second AV signal and the second data signal to generate a data-AV combined signal, and outputs the generated data-AV combined signal to the monitor connected to the interactive data receiving device 100" [0108]);
- a circuit for/rendering the decrypted stream of audiovisual data (e.g. see "When the purchase state signal indicates the preview state (step S301), the data analyzing unit 104 generates video data, which is a second data signal, referring to a bitmap table, a text table, and the like included in a firstly-presented presentation element (step S304), and outputs the generated second data signal to the combining unit 106 (step S305). The processing is then completed" [0207]);

But Yamaguchi does not specifically disclose:

- a decryption unit for/decrypting the partly encrypted data segments (although Yamaguchi discloses "A descrambling key to descramble such scrambled AV TP [audio-video transport packets], and program attribute information for the programs make up program information (hereafter, "ECM") and are contained in

Art Unit: 2438

another TP (hereafter, "ECM TP"). Such ECM TP and AV TP are broadcasted together. This ECM TP is also scrambled. A work key to descramble the scrambled ECM TP, and subscription information make up individual information (hereafter, "EMM") and are stored in an integrated circuit (IC) card, which is inserted into each receiving device" [0008]);

However, the analogous art Raike, which addresses the same field of endeavor in encryption and transmission of audio and video data streams, does disclose a decryption unit (recipient's decryption processor [0030]) for/decrypting (symmetrically decrypting [0034]) the partly encrypted data segments (encrypted stream packets with unencrypted tag values removed [0034]).

- (e.g. see "The tag values of each stream data packet are extracted (13) and then hashed (14) with the base key to produce the packet key for each packet. The stream packets with tag values removed (stream data) are then symmetrically decrypted (15) using the corresponding packet key. The plaintext stream packets, with or without tag values depending on the transmission protocol being used, are then stored or outputted in a form suitable for use by a streaming media player" [0034]).

It would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to modify the invention of Yamaguchi with the teachings of Raike to include a decryption unit for/decrypting the partly encrypted data segments as claimed because the use of Raike could provide Yamaguchi the ability to partially encrypt an audio and video data stream (Yamaguchi [0008]) while not encrypting the packet

Art Unit: 2438

header segments containing ID information (Raike [0029]) for the purpose of facilitating the later decryption process of the encrypted stream packets (Raike [0032]-[0035]).

As to Amended Claims 18 and 20:

Yamaguchi discloses a computer programme product/programmed computer comprising computer readable instruction for programming a processing unit (e.g. see “The present invention may be a computer system that comprises a microprocessor and memory which stores the above computer program, and the microprocessor may execute the stored computer program to achieve the present invention. The above computer program or digital signals may be recorded on the computer-readable recording medium to be distributed via the network or other distribution methods to a computer system” [0258]), enabled to execute the steps of,

- segmenting at least one of said at least one stream (MPEG2 transport stream [0063]) of audiovisual data in data segments (components [0066]) (e.g. see “The sending device 20 is installed in a broadcast station that provides a digital broadcast service, and sends an MPEG2 (Moving Picture Expert Group) TP (transport stream) as a broadcast wave via the broadcast satellite 30... The reception signal is composed of video data, audio data, interactive data” [0063]; see also “When transmitted, the MPEG2 TS 200 is divided into packets on a transmission channel. Each packet contains a different packet ID (PID), which is identification information for the packet” [0065]);
- providing the data segments with ID data (component ID [0066]) in an ID segment (MPEG2 TS 200 packet headers [0065]-[0066]), the ID data being

Art Unit: 2438

different from ID data being pre-determined (packet id, PID [0065]) to identify the type of data (audio, video, or interactive data [0063]) in the stream of audiovisual data (e.g. see "As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure. Each component contains a different component ID that identifies the component" [0066]; see also "The component 217 includes viewing permission information 218, which contains subscription information given for each program... Video data and audio data are included in a video data component and an audio data component, which are not shown in the figure" [0067]; see also "Each reception element has a different reception element ID to identify the reception element, and each presentation element has a different presentation ID to identify the presentation element" [0070]);

But Yamaguchi does not specifically disclose:

- partly encrypting the data segments, leaving the ID segment unencrypted (although Yamaguchi does disclose "Encryption (hereafter, "scrambling") is performed separately for each TP (hereafter, "AV (audio-video) TP" [Transport Packets]) containing video data and audio data for programs" [0008]).

However, the analogous art Raike, which addresses the same field of endeavor in encryption and transmission of audio and video data streams, does disclose partly encrypting the data segments (encrypting packet payload [0035]), leaving the ID segment (packet header information with ID tag [0029] and [0035]) unencrypted.

Art Unit: 2438

- (e.g. see “The present encryption processing may insert specific information into designated field(s) within the stream header, and also replaces the data payload of each packet with encrypted data. All of the packets in the stream are encrypted, but only the data payload is encrypted and not the packet header information. This remains unchanged by the encryption processing” [0035]; see also “each packet header is assumed to include at least one item of information that uniquely identifies that packet, called here a “tag”... The tag information, along with the rest of the packet header, must accompany a packet “in the clear”, that is, not encrypted” [0029]).

It would have been obvious to one of ordinary skill in the art at the time applicant’s invention was made to modify the invention of Yamaguchi with the teachings of Raike to include partly encrypting the data segments, leaving the ID segment unencrypted as claimed because the use of Raike could provide Yamaguchi the ability to partially encrypt an audio and video data stream (Yamaguchi [0008]) while not encrypting the packet header segments containing ID information (Raike [0029]) for the purpose of facilitating the encryption and decryption of the data packets (Raike [0032]-[0035]).

As to Amended Claims 21 and 23:

Yamaguchi discloses a computer programme product comprising computer readable instruction for programming a processing unit (e.g. see “The present invention may be a computer system that comprises a microprocessor and memory which stores the above computer program, and the microprocessor may execute the stored computer program to achieve the present invention. The above computer program or digital signals may be

Art Unit: 2438

recorded on the computer-readable recording medium to be distributed via the network or other distribution methods to a computer system" [0258]), for executing the steps of,

- recognising that the data carried by the ID segment is different from ID data (data judging unit 117 distinguishes ID data such as a component ID from a packet ID) being pre-determined to identify the type of data in the stream of audiovisual data and recognizing the actual type of data comprised by the data segments (e.g. see "The data judging unit 117 then compares the ID of the recognized link destination with the ID of the currently-presented presentation element to judge whether a presentation element of the link destination and the currently-presented presentation element belong to the same component" [0126]);
- forming a stream of audiovisual data from the data segments (e.g. see "The combining unit 106 receives the second AV signal from the AV reproducing unit 105, and a second data signal from the data analyzing unit 104. The combining unit 106 then combines the second AV signal and the second data signal to generate a data-AV combined signal, and outputs the generated data-AV combined signal to the monitor connected to the interactive data receiving device 100" [0108]);

But Yamaguchi does not specifically disclose:

- decrypting the partly encrypted data segments (although Yamaguchi discloses "A descrambling key to descramble such scrambled AV TP [audio-video transport packets], and program attribute information for the programs make up program information (hereafter, "ECM") and are contained in another TP (hereafter, "ECM

Art Unit: 2438

TP"). Such ECM TP and AV TP are broadcasted together. This ECM TP is also scrambled. A work key to descramble the scrambled ECM TP, and subscription information make up individual information (hereafter, "EMM") and are stored in an integrated circuit (IC) card, which is inserted into each receiving device"

[0008]);

However, the analogous art Raike, which addresses the same field of endeavor in encryption and transmission of audio and video data streams, does disclose decrypting (symmetrically decrypting [0034]) the partly encrypted data segments (encrypted stream packets with unencrypted tag values removed [0034]).

- (e.g. see "The tag values of each stream data packet are extracted (13) and then hashed (14) with the base key to produce the packet key for each packet. The stream packets with tag values removed (stream data) are then symmetrically decrypted (15) using the corresponding packet key. The plaintext stream packets, with or without tag values depending on the transmission protocol being used, are then stored or outputted in a form suitable for use by a streaming media player" [0034]).

It would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to modify the invention of Yamaguchi with the teachings of Raike to include decrypting the partly encrypted data segments as claimed because the use of Raike could provide Yamaguchi the ability to partially encrypt an audio and video data stream (Yamaguchi [0008]) while not encrypting the packet header segments containing

Art Unit: 2438

ID information (Raike [0029]) for the purpose of facilitating the later decryption process of the encrypted stream packets (Raike [0032]-[0035]).

8. **Claim 6** is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi in view of Raike, as applied to claim 1 above, and in further view of Hobrock et al. (US-20040247122-A1, hereinafter Hobrock).

As to Amended Claim 6:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 1, wherein,

- the data segments are provided with further ID data (packet ID [0065]) in the ID segment, the further ID data being pre-determined to identify the type of data in the stream of audiovisual data (e.g. see Yamaguchi, "Each packet contains a different packet ID (PID), which is identification information for the packet. A plurality of packets that has the same PID to be transmitted make up the same component" [0065])
- ID data (component ID [0066]) being different from ID data being pre-determined to identify the type of data in the at least one stream of audiovisual data (e.g. see "As shown in FIG. 2, the MPEG2 TS 200 includes components 217, 219, 201, 204, and other components that are not shown in the figure. Each component contains a different component ID that identifies the component" [0066]; see also "The component 217 includes viewing permission information 218, which contains subscription information given for each program... Video data and audio

Art Unit: 2438

data are included in a video data component and an audio data component, which are not shown in the figure" [0067]);

But Yamaguchi in view of Raike does not specifically disclose:

- the further ID data being in a further step replaced by [other] ID data.

However, the analogous art Hobrock, which addresses the same field of endeavor in encryption, decryption, and transmission of audio and video data streams, does disclose the further ID data (original PID value [0060]) being in a further step replaced by [other] ID data (new PID values [0060]).

- (e.g. see "In the interest of simplicity of encoding, a preferred embodiment of the present inventive technique accomplishes the "tagging" function by replacing each packet's PID with a new PID to identify the packet's origin transport stream. In effect, the new PID value serves a dual purpose--it serves as a "tag" value to identify the origin stream of packets in the merged stream, and it maps the original PID values into a new set of values" [0060]).

It would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to modify the combination method of Yamaguchi and Raike with the teachings of Hobrock to include the further ID data being in a further step replaced by [other] ID data as claimed because the use of Hobrock could provide the combination method of Yamaguchi and Raike the ability to further replace original ID data in a stream of audiovisual data (Yamaguchi [0065]) with other ID data values (Hobrock [0060]) for the purpose of preventing data packet ID conflicts inside a receiving decryption device of the audiovisual data stream (Hobrock [0087]).

9. **Claim 9** is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi in view of Raike, as applied to claim 1 above, and in further view of Nakagawa et al. (US-20010028725-A1, hereinafter Nakagawa).

As to Amended Claim 9:

The combination of teaching between Yamaguchi and Raike discloses the method according to claim 1, but does not specifically disclose further comprising the step of,

- providing an empty stream of audiovisual data of the same type as the at least one stream of audiovisual data for which non pre-determined ID data has been provided, the empty stream of audiovisual data being provided with ID data pre-determined for identifying the type of data.

However, Nakagawa does disclose providing an empty stream (If IPMPS_Type=2, payload of decoded data is cleared) of audiovisual data of the same type as the at least one stream of audiovisual data for which non pre-determined ID data has been provided, the empty stream of audiovisual data being provided with ID data (IPMP_Type) pre-determined for identifying the type of data.

- (e.g. see "On the other hand, if it is determined in step S307 that the user is not authentic (the user has not paid a given fee), the flow advances to step S308 to control playback quality of that object. In step S308, data decoded in step S305 is processed to control playback quality. How to process the data can be determined by the IPMP controller 20 depending on the format of the IPMP information" [0327]; see also "If IPMPS_Type=2, the payload of decoded data is cleared to black out a moving image or inhibit audio playback" [0330]; see also

Art Unit: 2438

“As described above, according to this embodiment, upon decoding and playing back information from a data stream that contains a plurality of object streams, the playback quality of copyrighted objects can be controlled” [0334])

One of ordinary skill in the art at the time applicant's invention was made would have been motivated by Nakagawa to modify the combination method of Yamaguchi and Raike to include providing an empty stream of audiovisual data of the same type as the at least one stream of audiovisual data for which non pre-determined ID data has been provided, the empty stream of audiovisual data being provided with ID data pre-determined for identifying the type of data as claimed because the use of Nakagawa could provide the combination method of Yamaguchi and Raike the ability to provide an empty stream of audiovisual data (Nakagawa [0330]) of the same type as another audiovisual data stream for which non pre-determined ID data has been provided, for the purpose of enhancing control over output data streams gained by being able to provide for an empty stream of audiovisual data for inhibiting audio or image playback to an unauthorized viewer (Nakagawa [0011]).

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Kenneth Chang whose telephone number is (571)270-7530. The examiner can normally be reached on Monday-Friday 8:00am-5:30pm (Alt. Friday off).

Art Unit: 2438

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Taghi T. Arani can be reached on 571-272-3787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/K. C./
Examiner, Art Unit 2438
08/12/09

/Taghi T. Arani/

Supervisory Patent Examiner, Art Unit 2438